

CHÉRIPETS





# THE GROVE

Not just pieces to assemble, but a place to become. Follow along as form finds meaning and a simple structure turns into their sanctuary.




PART A x 1
Base with legs




PART B × 1
Scratch tower



PART C x 1
Base support




PART D1 x 1
Left Middle panel




PART D2 x 1
Left Top Panel




PART E × 3
Felt pads




PART F × 1
Right base panel




PART G × 1
Right middle panel 1



PART H × 1
Right middle panel 2



PART I × 1
Right top panel



PART J × 2
Dowel thick



PART K × 24
Dowel thin



PART L1 × 4
Dowel (F)



PART L2 × 4
Dowel (M)



PART J × 8
Hex bolt small



PART K × 18
Hex bolt tall

# The Making

This manual is designed to guide you through the thoughtful assembly of your piece.


Each step has been carefully considered to ensure a seamless experience, allowing every component to come together with clarity and precision.

Scan for support

## STEP 1

Align the base panel.

Ensure the nameplate is facing upwards.




## STEP 2

Take the base support (PART C) and secure it with the base panel from the underside.

Secure it firmly with the hex bolts






## STEP 3

Take the scratch tower (PART B)

Secure it the same way from the underside.






## STEP 4

Take the right base panel (PART F) and secure it with (PART C) using hex bolts from top






## STEP 5


Take Dowels M (PART L2) and secure it with base panel (PART F) as shown from both sides.





## STEP 6


Slide Left middle panel (PART D1) ensuring the holes go through the extrusion of the dowel from both sides.



## STEP 7


Secure the middle panel to the scratch tower using Hex bolts






## STEP 8

Take the Dowels F (PART L1) and insert it through the extrusion from both ends as shown




## STEP 9

Take the thick dowel (PART J) and secure it with the panel from the underside



## STEP 10


Take the thinner dowels (12 nos.) and insert them in the intrusions as shown



## STEP 11

Take the middle panel (PART G) and complete the bottom nook by securing it with hex bolts.






## STEP 12


Take the other middle panel (PART H) and build it with PART L2 and J as shown above.





## STEP 13


Take the entire structure and align it with the bottom nook.



## STEP 14


Take the left top panel and align it with the extruded part of the dowel to fix it with the tower.






## STEP 15

Secure the panel with hex bolts as shown.




## STEP 16

Add the top part of the dowel (PART L1) as shown.



## STEP 17

Add the remaining 12 dowels (PART K) in the same way as done earlier.




## STEP 18

Add the top panel (PART I) to complete the structure.


Secure the structure with Hex bolts to complete the structure.





## STEP 19

Add the cushion and the felt pads to keep the hardware below before using it.



## CARING FOR THE GROVE

**GENERAL MAINTENANCE**



Use a soft, dry cloth to regularly dust The Grove. Microfiber cloths work well. For routine cleaning, use a damp cloth followed by a dry cloth to prevent moisture from sitting on the surface. Avoid soaking the wood.

**CLEANING SPILLS**



Wipe up any spills immediately to prevent staining or damage to the finish. Use a mild soap solution (e.g. diluted dish soap) for tougher spots, followed by wiping with a damp cloth and drying thoroughly.

**POLISHING**



Given the low gloss finish, frequent polishing isn't necessary. If you do polish, use a product recommended for low-gloss finishes and test it on a small, inconspicuous area first. Avoid using wax, as it can build up and create a dull, cloudy appearance.

**ENVIRONMENTAL FACTORS**



Keep The Grove indoors, avoiding extremely humid environments. Avoid placing The Grove near heat sources like radiators or fireplaces. Keep The Grove out of direct sunlight to prevent fading or discoloration.

## CUSHION CLEANING

**TIP 1** Regularly remove and machine wash the outer cover.

**TIP 2** Do not wash the interior cushion, simply air it out to keep fresh and spot clean with a damp cloth and mild detergent.

**TIP 3** Avoid direct sunlight to preserve the color and material of the cushion.

**TIP 4** Immediately wipe spills with a damp cloth, using a mild detergent for stubborn stains.

## WASH INSTRUCTIONS



Machine wash cold 85°F/30°C



Tumble dry on low heat



Do not iron




Dry Cleanable

# CHÉRIPETS

Comfort, crafted with Love

cheri_pets info.cheripets@gmail.com cheri_pets